

	Type	Hits	Search Text
1	BRS	46	S11 and @pd<"20061111"
2	BRS	29	S12 and controller
3	BRS	51	S10 and "429"/\$.ccls.
4	BRS	12056	heater same ice
5	BRS	1	S14 and (load)
6	BRS	62	S22 and matsushita.as.
7	BRS	3383	429/12,22,23,24.ccls.
8	BRS	2	"6727013".pn.
9	BRS	1	S20 and "4b"
10	BRS	4	S27 and @ad<"20030619"
11	BRS	6	S23 and @ad<"20030619"

	DBs
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Type	Hits	Search Text
12	BRS	5159	anode with (protrusion depression projection roughness indentation dimple)
13	BRS	1	10/791,428 and load
14	BRS	307	S22 and (protrusion depression projection roughness indentation dimple)
15	BRS	82	S29 and @ad<"20030619"
16	BRS	1	10/868,778
17	BRS	1	S20 and (11a 11c)
18	BRS	1	"20030180594" and (anode same mesh)
19	BRS	2	"20030180594" and (anode)
20	BRS	3431	direct adj (methanol oxidation) adj fuel adj cell
21	BRS	0	S14 and (power adj2 load)
22	BRS	27	S36 and (direct adj (oxidation methanol))

	DBs
12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Type	Hits	Search Text
23	BRS	310	S35 and @ad<"20030619"
24	BRS	404	S34 and (fuel adj cell)
25	BRS	28	S22 and S26
26	BRS	1	S14 and (supply adj3 load)
27	BRS	1	10/791,428 and controller
28	BRS	1514	(corrugated corrugation) same anode
29	BRS	2	"6479177".pn.
30	BRS	2	S14 and (power adj2 heater)

	DBs
23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT